

Wall Mounted Bottle Filler (Non-Chilled)



Product Code: WMBF

Surface Mounted Bottle Filling Unit

Product Code WMBF

Stainless steel wall mounted bottle filling station with hand / forearm operated water supply. The surface mounted design allows installation onto the face wall with the water supply and waste connections through the back wall. The vandal resistant compact design is suitable for most public areas where bottle filling is required.

- Easy operation with hand or forearm.
- On / off operation helps reduce water waste.
- **This unit does not have a built-in chilling system and will dispense water at the incoming mains water temperature, [remote chillers](#) are available.**
- Refilling plastic bottle reduces plastic waste.
- Stainless steel grade 304 construction, 1.2mm thick.
- 85mm space saving projection.
- Large bottle filling aperture to suit most drinking water bottles (up to 750ml).
- **KIWA REG4** approved product (see below for more information).
- Press button on / off filling valve.
- Keyhole slots for simple installation.
- Supplied with 32mm waste fitting and flexible waste pipe.
- To ensure the proper functioning and longevity of this unit, a Y-strainer or filter must be installed as part of the water supply system. The Y-strainer / filter is essential for protecting the internal components and maintaining the correct flow characteristics of the tap. Failure to install a Y-strainer or filter will result in the warranty being void.

Overall Size

- Height: 545mm.
- Width: 350mm.
- Front to back: 85mm.

Bottle Aperture

- Height: 335mm.
- Width: 125mm.

Approvals

KIWA REG4 approval confirms that a product has been independently tested and certified to meet the requirements of the UK Water Supply (Water Fittings) Regulations. Certification under the **KIWA REG4** scheme demonstrates that the product complies with the regulatory standards for materials, design, and performance required for products used with potable water systems in the UK.

This approval provides assurance that the product satisfies the requirements of **Regulation 4**, in a manner comparable to certifications issued through schemes such as WRAS & NSF, while supporting the same objective of safeguarding water quality and preventing the waste, misuse, undue consumption, or contamination of the public water supply.

Delivery

- From stock usually 1 to 2 working days.

**All pictures shown are for illustration purpose only and may be subject to change without notice. Actual product may vary due to product enhancement.
All dimensions shown are for guidance only and may be subject to change or alteration without notice. All items manufactured or purchased separately from a third party to fit our products should be checked against the actual dimensions of the physical product before purchase. We will not be liable for third party costs and consequential loss associated with the items not fitting third party components.**