

Pillar Floor Standing Bottle Filler



Product Code: PBF-A

Floor Standing Bottle Filler

Product Code PBF

- Stainless steel floor mounted bottle filler.
- **This unit does not have a built-in chilling system and will dispense water at the incoming mains water temperature, [remote chillers](#) are available.**
- Free standing pedestal unit or adapted to floor and wall mounting by removing the back panel.
- Easily operated press button with either your hand or forearm.
- Manufactured from grade 304 stainless steel.
- Press button water valve.
- **KIWA REG4** approved product (see below for more information).
- Radius corners for safety.
- Floor and wall mounting points.
- Complete with 32mm waste fitting, flexible waste pipe, press button valve, laminar flow outlet and internal pipework.
- Supplied assembled for easy installation.
- Lockable side door for access to the plumbing connections and fixing points.
- Removable rear panel with large rear opening to facilitate water supply pipes and waste connections if fitted up against a wall.
- To ensure the proper functioning and longevity of this unit, a Y-strainer or filter must be installed as part of the water supply system. The Y-strainer / filter is essential for protecting the internal components and maintaining the correct flow characteristics of the tap. Failure to install a Y-strainer or filter will result in the warranty being void.

Size

- 1070mm high.
- 200mm front to back.
- 200mm wide.

Approvals

KIWA REG4 approval confirms that a product has been independently tested and certified to meet the requirements of the UK Water Supply (Water Fittings) Regulations. Certification under the **KIWA REG4** scheme demonstrates that the product complies with the regulatory standards for materials, design, and performance required for products used with potable water systems in the UK.

This approval provides assurance that the product satisfies the requirements of **Regulation 4**, in a manner comparable to certifications issued through schemes such as WRAS & NSF, while supporting the same objective of safeguarding water quality and preventing the waste, misuse, undue consumption, or contamination of the public water supply.

Delivery

- From stock usually 1 to 2 working days.

All pictures shown are for illustration purpose only and may be subject to change without notice. Actual product may vary due to product enhancement. All dimensions shown are for guidance only and may be subject to change or alteration without notice. All items manufactured or purchased separately from a third party to fit our products should be checked against the actual dimensions of the physical product before purchase. We will not be liable for third party costs and consequential loss associated with the items not fitting third party components.